

Guidelines for correcting Inconsistency in Master Data and DCF data

After uploading the DCF, there were some corrections made either in name, state, district or type or University name (due to change in affiliation). Due to this, there is inconsistency in master data and DCF-data. You can see the inconsistent DCF details by following the steps given below:

Login to AISHE web portal → Form management → Inconsistent DCF data → Inconsistent DCF tab → select the option Survey Year (e.g.2013-14) → click on 'Submit' button.

मानव संसाधन विकास मंत्रालय
भारत सरकार
Ministry of Human Resource Development
Government of India

अखिल भारतीय उच्चतर शिक्षा सर्वेक्षण
All India Survey on Higher Education

Welcome Vandana Gautam , You are logged in as MHRD Officer Home --MY ACCOUNT--

Form Management

Upload DCF Dashboard Delete DCF **Inconsistent DCF Data** DCF-I Addendum

Inconsistent DCF Minority DCF

Filter Dashboard
Survey Year: 2013-2014 Submit

Then, click on details button to see the inconsistent data.

Form Management

Upload DCF Dashboard Delete DCF **Inconsistent DCF Data** DCF-I Addendum

Inconsistent DCF Minority DCF

Filter Dashboard
Survey Year: 2013 - 2014 Submit

34 items found, displaying 1 to 20.
[First/Prev] 1, 2, 3 [Next/Last]

S. No.	Name of Institution	Form	Details
1	Apollo College of Pharmacy Anjora Durg	DCF - II	Details
2	APOLLO INSTITUTE OF HOSPITAL MANAGEMENT & ALLIED SCIENCES, (Inst. Code - 371), (APOLLO HOSPITAL EDUCATIONAL TRUST), CHENNAI	DCF - II	Details

Details


The following is a comparison of data stored in database through uploaded DCF and the latest master data:

	DCF Data	Master Data
Name	Apollo College of Pharmacy Infront of Vaternery College, Anjora	Apollo College of Pharmacy Anjora Durg
State	Chhatisgarh	Chhatisgarh
District	Durg	Durg
Type	Affiliated College	Affiliated College
Affiliating University	0083 - Chhattisgarh Swami Vivekanand Technical University, Raipur	0083 - Chhattisgarh Swami Vivekanand Technical University, Raipur

You need not to re-fill DCF to correct the inconsistency. We have made a special provision in the DCF through which you can **update pre-filled data** in the form. The procedure is as follows:

- Click on Modify button at the bottom of the DCF. (DCF can also be downloaded by clicking on the hyperlink on DCF in the 3rd column of the Inconsistent DCF tab)
- After that click on the button "Update Prefilled data" at the top right corner of second page of DCF (Block 1A). Please ensure that the system is connected to the internet while clicking this button.

- A message will appear on the screen (as given below) that the prefilled data has been updated.




- Perform check form and upload the form again on the AISHE web portal by overwriting the existing DCF.
- If above mentioned successful message does not appear, instead the following message appears on the screen,

ity risks. Only enable these features if you trust this document. Options ▾



then, click on the "Ok" button and click on the down arrow at the right side of Options at Yellow tab at top and select the option "Trust this document one time only".



Save the DCF and again click on the button "Update Prefilled data".

- Perform check form and upload the form again on the AISHE web portal